

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	467	logging with number with access\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:09
L2	6842	message with (rout\$4 forward\$4) with block \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:09
L3	12	1 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:09
L4	178	destination with address with (saving logging recording) with access\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:11
L5	19	2 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:11
L6	29676	"15" and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:12
L7	0	5 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:12

L8	4	4 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:12
L12	14	US-5377354-\$.DID. OR US-5884033-\$. DID. OR US-6026296- \$.DID. OR US- 4554261-\$.DID. OR US-20020199095-\$. DID. OR US- 20040199592-\$.DID. OR US-20040203589-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 15:22
L13	0	L12 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 15:22
L24	2906	sip and (ip near3 multimedia)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 16:49
L25	43	user with identit\$4 with compar\$4 with filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 16:49
L26	0	24 and 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 16:50
L27	7796	ims and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:13
L28	177	27 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:13

L29	0	28 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:14
L30	0	28 and (address with (saving logging recording) with access \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:14
L31	8	28 and (address with (saving logging recording) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:14
L32	13	28 and (access with (saving logging recording) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:15
L33	8	32 not 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:15
L34	18	5 and ((identity profile) with (subscriber user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:16
L35	3	"20030109271"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:51
L36	0	34 and (forward\$4 with logging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:51

L37	8	3 and (forward\$4 with logging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
L38	0	35 and (forward\$4 with logging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
L39	0	35 and (encrypt\$4 with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
L40	0	35 and (encrypt\$4 with key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
L41	1	35 and (encrypt\$4 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:59
L42	0	35 and (key with pair)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:00
L43	0	35 and (key with protect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:00
L44	1	35 and (key )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:00

L45	1	35 and (password encrypt\$4) same (data message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:05
L46	110	27 and (message with forward\$4 with block \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:08
L47	60	46 and ((identity profile) with (subscriber user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:08
L48	65	24 and (message with forward\$4 with block \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:09
L49	41	48 and ((identity profile) with (subscriber user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:09
S1	1	"10589906"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 11:25
S2	2	US-20050086519-\$. DID. OR WO- 03067907-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 11:43
S8	3432	(message same traffic). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:26

S10	1111	(message same traffic same first).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:26
S11	42	(message same traffic same first same block \$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:27
S12	552	(message same traffic same first same network).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:27
S13	1835	(MARK near3 BECKMANN) (MICHAEL near3 ECKERT) (MARTIN near3 HANS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:28
S14	2	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:28
S15	12	S12 and siemens	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 12:30
S16	2539	(network near3 unit) and (communication near3 unit) and (message same traffic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:33
S17	7	S13 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:33

S18	73	(network near3 unit) same (communication near3 unit) same (message same traffic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:34
S19	1	S18 AND (FILTER\$4 SAME BLOCK\$4 SAME (LOG\$5 SAV\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:43
S20	5	S16 AND (FILTER\$4 SAME BLOCK\$4 SAME (LOGG5 SAV\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:44
S21	72	(FIRST SAME SECOND SAME NETWORK SAME FILTER\$4 SAME BLOCK \$4 SAME (LOGG5 SAV \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:45
S22	0	(FIRST SAME SECOND SAME NETWORK SAME FORWARD SAME MESSAGE SAME FILTER \$4 SAME BLOCK\$4 SAME (LOGG5 SAV\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:50
S23	2	(FIRST SAME SECOND SAME FORWARD SAME MESSAGE SAME FILTER \$4 SAME BLOCK\$4 SAME (LOGG5 SAV\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:51
S24	145	(FILTER\$4 SAME MESSAGE SAME BLOCK \$4 SAME (LOGG5 SAV \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:52
S25	139629	"370"/.CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:52

S26	146965	"455"/.CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:52
S27	27	S24 AND (S25 S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:52
S28	119	(FILTER\$4 SAME MESSAGE SAME BLOCK \$4 SAME (LOGG\$5 ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:53
S29	10	S28 AND (S25 S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:53
S30	1489	CONTROL\$4 WITH EVALUAT\$4 WITH MESSAGE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:56
S31	1	S28 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:56
S32	0	S28 SAME EVALUAT\$4 WITH MESSAGE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:56
S33	7	(FILTER\$4 SAME MESSAGE SAME BLOCK \$4 SAME (LOGG\$5 ) SAME (LOG NEAR3 FILE))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 12:57



S34	701	455/417.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:08
S35	26	S34 and logging	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:08
S36	4356	(record\$4 logg\$4) with (destination with address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:09
S37	159	S36 same filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:09
S38	85	S37 and (S25 S26)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:09
S39	1	S37 and (visit\$4 near3 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:10
S40	1422	(recording logg\$4) with (destination with address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:11
S41	29	S40 same filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:11

S42	3	(recording logg\$4) with (destination with address) with criter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:13
S43	227	(recording logg\$4) with (destination with address) with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:14
S44	0	(recording logg\$4) with (destination with address) with user with evaluat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:14
S45	5	(recording logg\$4) with (destination with address) with evaluat \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:14
S46	3390	455/414.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:16
S47	1196	S46 and block\$4 and forward\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:16
S48	283	S46 and block\$4 and forward\$4 and filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:17
S49	22	S46 and ( block\$4 same forward\$4 same filter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:17

S50	0	S46 and ( block\$4 same forward\$4 same filter\$4 same logging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:17
S51	38	S46 and (logging with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:20
S52	2	S46 and (logging with message with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:21
S53	112	S46 and ( block\$4 same forward\$4 same message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:23
S54	65	S46 and (( block\$4 with message ) same (forward\$4 with message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:23
S55	7	S54 and (session near5 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:24
S56	2	S54 and (SIP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:24
S57	28	S46 and (( block\$4 near3 message ) same (forward\$4 near3 message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:26

S58	17	(logged logging) with message with logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:30
S59	0	S53 and logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:31
S60	111	logfile and (forward\$4 same message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:32
S61	16	(user with logfile) and (forward\$4 same message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:32
S62	1	compar\$4 with database with logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:36
S63	2	compar\$4 with database same logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:36
S64	3	compar\$4 same database same logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:36
S65	7	compar\$4 same address same logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:37

S66	4	messag\$4 with filter\$4 with (logfile log\$1file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:39
S67	1031	(messag\$4 with filter \$4) and (SI P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:40
S68	9	(messag\$4 with filter \$4) and (SI P) and logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:40
S69	18	(messag\$4 with filter \$4) and (SI P) and (logging with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:41
S70	0	(messag\$4 with filter \$4) and (SI P) and ((fraud\$7 illegal) with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:42
S71	125	(messag\$4 with filter \$4) and (SI P) and ((fraud\$7 illegal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:42
S72	0	(messag\$4 with filter \$4) and (SI P) and ((fraud\$7 illegal) same (logg\$4 sav\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:42
S73	13	((logg\$4 sav\$4) with messag\$4 with filter \$4) and (SI P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:43

S74	9	((logg\$4 ) with messag \$4 with filter\$4) and (SIP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:44
S75	189	((logg\$4 ) with messag \$4 with filter\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:44
S76	52	S75 and (forward\$4 with message) and ((block\$4 drop\$4) with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:45
S77	1479	455/410.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:50
S78	0	S77 and logfile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:51
S79	60	S77 and (forward\$4 with message) and ((block\$4 drop\$4) with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:51
S80	31	S79 and filter\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:51
S81	4	S80 and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:51

S82	21	S79 and filter\$4 and (saving recording logging logged saved recorded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 13:54
S83	14	US-5377354-\$.DID. OR US-5884033-\$. DID. OR US-6026296- \$.DID. OR US- 4554261-\$.DID. OR US-20020199095-\$. DID. OR US- 20040199592-\$.DID. OR US-20040203589-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/12 13:55

5/12/2009 6:35:28 PM

C:\Documents and Settings\mmapa\My Documents\EAST\Workspaces\10589906 METHOD  
FOR THE CONTROL AND EVALUATION OF A MESSAGE TRAFFIC OF A COMMUNICATION UNIT  
BY MEANS OF A FIRST NETWORK UNIT WITHIN A MOBILE.wsp